

Making Difference....

PRODUCT PROFILE

SURE SHOT SOLUTION FOR
POULTRY | CATTLE | SHEEP




Ovistim Forte

Ovistim Forte-FS

A CRR Product

Ovistim Forte

Nutritional Oral Feed Supplement
for Stimulation & Enhancing of Egg Production



Every bird creates its eggs in a stretchy tube called the oviduct. Here, a stretchy membrane is deposited around the egg white and yolk before the eggshell is formed. And it's this membrane - not the eggshell - that gives an egg its shape. Traditional explanations have suggested the long, pointy shape of eggs is to ensure they don't roll too far from the nest, or to squeeze their way more easily out of a bird's cloaca. Ostriches (which are flightless) lay the largest eggs of any living bird. However, compared to the bird's size they are quite small. The eggs are round with thick shells, giving them enough strength to bear the weight of the incubating bird without being crushed. The eggs laid on the ground are white. A large study of nearly 50,000 eggs representing 1,400 bird species, published in the prestigious journal *Science* found that Birds that are better at flying have a narrower oviduct -so when the egg membrane is deposited, it can't create a wide egg. The eggs have to be pointier or more elongated, so the chick can fit and still be healthy.



Major Phytoconstituents



Aloe Barbadensis

Physiological Action

- Estrogenic effect

Physiological Benefits

Optimizes
Motility of oviduct
Ovulation 'Ca' absorption
& deposition



Fenugreek

- Enhances ovulation

Enhances ovulation ,
boosts egg production,
and improves
reproductive performance



Solanum Xanthocarpum

- Calcium absorption

Optimizes egg shell
strength by proper
'Ca' deposition.



Moringa Oleifera

Antioxidant, Antiinflammatory
& Antimicrobial effect

Improves yolk colour
Albumen height and
half unit of egg

Composition

Nutritional value per 1 Ltr

Vitamin A	10,00,000 IU
Vitamin D3	2,00,000 IU
Vitamin E	5 gm
B-Complex Blend	0.662 gm
Anti-Oxidants (Vit-C)	10 gm
Chelated Minerals	9.7 gm
Probiotics (Yeast Extract)	13.8 gm
Essential Herbal Extracts	69.5 gm
Excipients, Preservatives & Anti-Oxidants Etc.	

Better albumen quality

Along with the percentage of cracked eggs, the albumen quality is a crucial parameter quality. Albumen quality is expressed in Eggs, which are defined on the basis of the height. The thick albumen in related to egg weight. The Higher the number of Hatchable eggs, the longer the eggs can be stored and better is the chick quality. The test results shows that the Ovistim Forte significantly improves the ration of hatchable eggs & enhances albumen quality and the control is analysed as a function of age, show a significant increase in the albumen quality after 45 weeks.



FEATURES / BENEFITS :

- Contains vitamins, minerals. Antioxidants & combination of yeast extract.
- It contains *Aloe barbadensis* which has estrogenic effect.
- It has *Solanum xanthocarpum*, which contains active ingredients of vitamin D3 like calcitriol in herbal form.
- It contains Moringa extract with anti-oxidant, anti-Inflammatory and anti- microbial effect.
- It has Fenugreek, which enhances ovulation, boosts egg production and improves productive performance.



Presentation : 1 & 5 Ltr

Essential Vitamins

Vitamin A, D3, E and blend of B-Complex vitamins are essential for egg production, fertility, hatchability, hormone regulation. Embryo development & Egg shell Quality.

Chelated Minerals

Essential minerals especially Chromium supports ovulation, fertility, hatchability, egg production, supports hormone balance. Deficiencies in these minerals can lead to poor fertility, weak egg shells, low hatchability and reduced egg output.

Essential Herbs

9 essential Herbs support ovulation, fertility, and egg production by naturally balancing hormones, improving immunity, and enhancing reproductive organ function. These herbs also boost antioxidant levels, reduce stress, and improve overall hatchability and reproductive performance.

USAGE:

- **Commercial Layers:** from prelay to culling @ 10-15 ml per 100 birds.
- **Breeders :** from prelay to culling @15-20 ml per 100 birds. 7-10 days in a month program or as advised by veterinarian/consultant.

Ovistim Forte-FS


Nutritional Feed Supplement for
Stimulation & Enhancing of Egg Production

Composition

Nutritional value per kg

Vitamin A	12,50,000 IU
Vitamin D3	2,50,000 IU
Vitamin E	5 gm
B-Complex Blend	3.35 gm
Anti-Oxidants (Vit-C)	10 gm
Chelated Minerals	197.11 gm
Probiotics (Yeast Extract)	13.8 gm
Essential Herbal Extracts	610 gm
Carrier & Preservatives-Qs.	

IMPROVED
UNIQUE
FORMULA



FEATURES / BENEFITS :

- Contains vitamins, minerals. Anti-oxidants & combination of yeast extract.
- It contains Aloe barbadensis which has estrogenic effect.
- It has *Solanum xanthocarpum*, which contains active ingredients of vitamin D3 like calcitriol in herbal form.
- It contains Moringa extract with anti-oxidant, anti-Inflammatory and anti-microbial effect.
- It has Fenugreek, which enhances ovulation, boosts egg production and improves productive performance.



Presentation
25 kg bag

Essential Vitamins

Vitamin A, D3, E and blend of B-Complex vitamins are essential for egg production, fertility, hatchability, hormone regulation. Embryo development & Egg shell Quality.

Chelated Minerals

Essential minerals especially Chromium supports ovulation, fertility, hatchability, egg production, supports hormone balance. Deficiencies in these minerals can lead to poor fertility, weak egg shells, low hatchability and reduced egg output.

Essential Herbs

9 essential Herbs support ovulation, fertility, and egg production by naturally balancing hormones, improving immunity, and enhancing reproductive organ function. These herbs also boost antioxidant levels, reduce stress, and improve overall hatchability and reproductive performance.

USAGE:

- **Commercial Layers** : from prelay to culling @ 750g-1kg per ton of feed.
 - **Breeders** : from prelay to culling @1kg-2kg per ton of feed. 7-10 days in a month program
- Non-layers and product disrupted birds 2kgs per ton of feed to be administrated for 10-15 days.
Be repeated for faster recovery or as advised by veterinarian/consultant.

